



SafetyRailCompany

Fall Protection for Life and Compliance



ROOF ACCESS SAFETY

COMPLETE FALL PROTECTION



PROUDLY 100%
MADE IN THE USA

SRC HATCHGUARD FOR ROOF HATCH ACCESS

Roof hatch openings on flat commercial roofs are an important feature in building design. When access to the roof is needed, roof hatch openings are often more convenient than portable or fixed ladders placed on the outside of buildings. Roof hatch openings do create a fall hazard however when left open for people on the roof or for ventilation. An open roof hatch is no different than an open hole in the roof or floor through which people frequently fall. In fact, OSHA mandates that these holes be guarded with fall protection systems with fall protection as stated in 29 CFR 1910.28(b), 1910.29(b), 1926.501(b)(4) and 1926.502

At Safety Rail Company we have the answer to guarding roof hatch openings. Our SRC HatchGuards are completely free-standing systems that fit right over the top of the roof hatch. Our one-piece design means installation literally takes 10-15 minutes. There is no faster install on the market today. Four rubber compression bolts are tightened against the curb of the roof hatch – that's it. There are no holes to drill which means no penetrations in the roof hatch or roof membrane. Nothing compromises the integrity of the building envelope.



2 FOOT SAFE LANDING ZONE



SECURE HANDHOLD AT ALL TIMES



OSHA COMPLIANT PROTECTION



15 MINUTE INSTALLATION

SAFETY FROM THE FIRST STEP

Sure footing and secure handgrips are very important when entering or exiting the roof hatch. The SRC HatchGuard comes equipped with a 2' safe landing zone with which personnel can safely step out of the hatch and gain their footing, then engage the gate. The reverse is true when re-entering the hatch.

Our HatchGuard also comes standard with grab bars to assist personnel as they transition in and out of hatch.

The fully welded design of the SRC HatchGuard ensures that nothing will come loose over time like some bolt together systems. The free-standing design adds zero stress to the roof hatch itself unlike mechanically fastened systems that are bolted to the curb of the roof hatch.

FEATURES AND BENEFITS

- Meets all OSHA requirements for fall protection
- Non-Penetrating design eliminates holes in roof or hatch
- Simple design means quick install, low cost
- Custom made to your size roof hatch
- Available in a variety of powder coat colors or galvanized finish



SIZES AVAILABLE UP TO 5'W x 14'L

OSHA COMPLIANCE

The SRC HatchGuard meets or exceeds OSHA guidelines for roof hatch guarding 29 CFR 1910.28(b), 1910.29(b), 1926.501(b)(4) and 1926.502. Test results available on request.

SRC HatchGuards are made to fit your particular roof hatch. Simply fill out our dimensional worksheet on the back page and we'll have everything we need to build your OSHA compliant SRC HatchGuard.



SIMPLE COMPRESSION FIT ON CURB

SRC LADDERGUARDS FOR FIXED LADDER SAFETY

Fixed rooftop ladders attached to the exterior side of buildings represent a serious fall hazard if left unguarded. As workers ascend these ladders and step onto the roof, they are exposed to the leading edge of the roof on either side of the ladder. OSHA requires that all ladders have fall protection devices protecting personnel as they access the roof. Our LadderGuard Systems clamp onto the rails of the existing ladder and extend onto the roof thereby acting as a controlled access zone and protecting the worker from the fall hazard. With three options to choose from, all of these OSHA compliant ladder guarding systems are completely non-penetrating to your building envelope. Self-closing gates are standard in the LadderGuard system to control access to the ladder area.

LADDERGUARD LITE 7.5

The LadderGuard Lite 7.5 Fixed Ladder Guarding System is the first-line of defense against accidental falls through ladder openings or ladder approach areas. This lightweight, non-penetrating system attaches to the vertical rails of the existing ladder. Once installed, it provides an OSHA compliant barrier between the roof edge and ladder opening. The LadderGuard Lite 7.5 system provides a 36" wide passageway and extends 7 1/2' onto the roof. Adjustable spanner bars included in the package can extend the reach another 40" allowing for a full length 10' control zone extending from the ladder. LadderGuard Lite 7.5 is a great entry level product, perfect for tight areas, that will significantly enhance fixed ladder safety. System is available in powder coat safety yellow, galvanized or a combination of these two finishes.



OPTIONAL INTEGRATED WARNING LINES

LADDERGUARD LITE 15

The LadderGuard Lite 15 Fixed Ladder Guarding System builds on the merits of the LadderGuard Lite 7.5 but extends the access control zone to 15'. The LadderGuard Lite 15 system is designed to integrate with visual warning line systems set at the OSHA prescribed distance of 15' from a leading edge. Adjustable spanner bars which attach to the fixed ladder, can extend this reach another 40". This lightweight, non-penetrating system attaches to the vertical rails of the existing ladder. Once installed, it provides an OSHA compliant barrier between the roof edge and ladder opening. Both LadderGuard Lite systems come with a self-closing gate.








SRC 360 LADDERGUARD KIT

The SRC 360 LadderGuard Kit is one more free-standing ladder guarding option to consider. This system utilizes weighted cast iron base plates from our SRC 360 Mobile Railing System. This is simply one more versatile option addressed by the SRC 360 Mobile Railing System which allows you to use many common components for both applications. This system extends out 7.5' and the adjustable spanner bars included in the package can extend the reach another 40" allowing for a full length 10' control zone extending from the ladder. This system can also be adapted to reach out over 15' from the ladder access point and integrates perfectly with larger SRC 360 guardrail projects.

MEASURING FOR SRC HATCHGUARD

We understand that one size doesn't fit all. That's why we let you customize your HatchGuard just the way you want. In 4 easy steps we can insure that your new HatchGuard is built the way you want it and will fit perfectly. Just follow our worksheet and provide the measurements. We'll send you a drawing to confirm everything is correct.



Accidents happen even with the most seasoned professionals – leading to serious injury or worse. The SRC HatchGuard and LadderGuard Systems will help you address these two high risk, high traffic areas on your roof and get you into compliance with OSHA regulations covering Roof Hatch and Ladder Access points.

Roof Hatches:

- 29 CFR 1910.28(b)
- 29 CFR 1910.29(b)
- 29 CFR 1926.501(b)(4)
- 29 CFR 1926.502

Ladder Access:

- 29 CFR 1910.23(d)
- 29 CFR 1926.502

Give us call today. We are ready to help you solve all your fall protection needs.

