

*New*

**SLOAN**<sup>®</sup>

**SF-SERIES**

**SENSOR FAUCETS**



# INTRODUCING THE SF-SERIES SENSOR FAUCETS

## RELIABILITY ONLY SLOAN DELIVERS

Sloan's reliability in their latest SF-Series of sensor faucets make them easy to specify — and install.

Choose from pedestal mount models for offices, industrial, commercial or other applications. Or choose the 30° gooseneck style, perfect for hospitals, care centers, restaurants, laboratories and countless other uses.

## QUALITY ONLY SLOAN DELIVERS

No more problems of manual run-on faucets.

The SF-Series is designed to deliver continuous water and energy savings, and reduce operating and maintenance costs, while never compromising the quality you've come to expect from Sloan.

The SF-Series sensor pedestal and gooseneck faucets help eliminate the contamination problems found on most manual faucets. The SF-Series turns on and off automatically. Hygiene will be improved, frequent hand washing will be encouraged and the spread of germs will be minimized.



## VALUE ONLY SLOAN DELIVERS

The SF-Series of faucets captures the contemporary styling required in today's modern restrooms, but maintains the design integrity to coordinate with any style.

The SF-Series of faucets is quick to install, has proven reliability and is easy to maintain and operate. Easy to clean chrome plating, simple installation, industry warranty, competitive pricing, product availability **and** the value of the SLOAN name on the faucet.

## SF-2100 Series

## SF-2200 Series



### BETTER THAN METERING

Mechanical metering devices are complex and costly to maintain. Heavy use, temperature change and less than optimum water conditions affect their reliability and can cause metering faucets to fail in the "on" position. This wastes tremendous amounts of water, as well as the energy used to heat the water. They operate by delivering water for a predetermined period of time, regardless of need.

With Sloan's SF-Series sensor faucets, users get water when they need it. They achieve true water conservation because they deliver water "upon request."



## SF-2300 Series



SPECIFICATIONS	HARDWIRE	BATTERY
Model Numbers	2100, 2200, 2300	2150, 2250, 2350
Input Voltage	6 VDC	6 VDC
Transformer	120 VAC/6 VDC	—
Power Options:		
Battery	AA Alkaline (4)	AA Alkaline (4)
Plug In	120 VAC plug-in transformer	—
Battery Life	—	One Year (8,000 cycles)
Operating Temperature	40 to 140° F (4.4 to 60° C)	40 to 140° F (4.4 to 60° C)
Operating Pressure	0 to 125 psig (0 to 8.889 MPA)	0 to 125 psig (0 to 8.889 MPA)
Threads	3/8 Compression Inlet	3/8 Compression Inlet
Standards	Meets ASME 111.18.1, CSA B125, UL1951 and CJ/T3801-2004	Meets ASME 111.18.1, CSA B125, UL1951 and CJ/T3801-2004
Warranty	One Year	One Year
Plating	Chrome Plated	Chrome Plated
Filter	Integral plastic mesh size 0.5mm maximum	Integral plastic mesh size 0.5mm maximum
Cycles	500,000 minimum	500,000 minimum
Supply Lines	Tempered water, or (BC) Bak-Chek®; (BDM) available variation for Hot and Cold	Tempered water, or (BC) Bak-Chek®; (BDM) available variation for Hot and Cold

## Sloan SF-Series — Extraordinary Value



### Pedestal Style Sensor Faucet with Optional Trim Plate

**SF-2100 Series**, transformer powered with or without battery backup

**SF-2150 Series**, battery powered



### Gooseneck Style Sensor Faucets with Optional Trim Plate

**SF-2200 Series**, transformer powered with or without battery backup

**SF-2250 Series**, battery powered



### 4" Center, Set Style Sensor Faucet

**SF-2300 Series**, transformer powered with battery backup

**SF-2350 Series**, battery powered

**SLOAN**<sup>®</sup>  
**SF-SERIES**  
**SENSOR FAUCETS**

**From a World Leader**

Sloan Valve Company has consistently met the industry's demand for quality, reliability and innovation by introducing water- and energy-saving plumbing systems.

Sloan products set standards for quality, technology, design and extremely low maintenance. For more information, contact your local Sloan Sales Representative.

For more information on any Sloan product, contact:



Sloan Valve Company  
10500 Seymour Avenue  
Franklin Park, IL 60131

Phone: 800-9-VALVE-9  
(800-982-5839) ext. 5609  
Fax: 800-447-8329  
[www.sloanvalve.com](http://www.sloanvalve.com)

©2006 by Sloan Valve Company  
Printed in U.S.A. Form No. 0816635

